

Issuing Date no data available

Revision Date 07-Aug-2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PCBs on PUF, QC
Product Number 1112
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use Only
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name ERA a Waters Company
Supplier Address 16341 Table Mountain Parkway, Golden, CO 80403 USA
Supplier Phone Number 303-431-8454
Supplier Email sdsinfo@waters.com
Emergency telephone number
Company Emergency Phone Number In case of EMERGENCY call CHEMTREC Day or Night
 Within USA and Canada: 800-424-9300
 International Call Collect: +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Flammable Liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Toxic if inhaled
 May cause cancer
 Causes damage to organs
 Highly flammable liquid and vapor



Appearance Clear, colorless**Physical state** Liquid->Liquid**Odor** Alcohol**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ ventilating/ lighting/ equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge
 Keep cool

Precautionary Statements - Response

Specific treatment (see .? on this label)
 IF exposed: Call a POISON CENTER or doctor/physician
 Specific treatment (see supplemental first aid instructions on this label)

Skin

Call a POISON CENTER or doctor/physician if you feel unwell
 Wash contaminated clothing before reuse
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Harmful to aquatic life with long lasting effects
 PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Note: only the components contributing to the product's GHS hazard classification are listed in this section.

Chemical Name	CAS-No	Percent
Methanol	67-56-1	100
Aroclor 1260	11096-82-5	0.1
Aroclor 1254	11097-69-1	0.1

Aroclor 1248	12672-29-6	0.1
Aroclor 1242	53469-21-9	0.1
Aroclor 1232	11141-16-5	0.1
Aroclor 1221	11104-28-2	0.1
Aroclor 1016	12674-11-2	0.1

4. FIRST AID MEASURES

First aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code Highly Toxic: Liquid
Flammable Liquid: I-B

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.
Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Full encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Stop leak if you can do it without risk.

Other Information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment A vapor suppressing foam may be used to reduce vapors. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Use clean non-sparking tools to collect absorbed material. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. Use only with adequate ventilation and in closed systems. Use personal protection equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Protect from moisture. Store away from other materials. Store locked up. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³
Aroclor 1254 11097-69-1	TWA: 0.5 mg/m ³ S*	TWA: 0.5 mg/m ³ (vacated) TWA: 0.5 mg/m ³ (vacated) S*	IDLH: 5 mg/m ³ TWA: 0.001 mg/m ³
Aroclor 1242 53469-21-9	TWA: 1 mg/m ³ S*	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) S*	IDLH: 5 mg/m ³ TWA: 0.001 mg/m ³

		S*	
--	--	----	--

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers
 Eyewash stations
 Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.
Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.
Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. No information available. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not breathe vapor or mist. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Liquid->Liquid	Odor	Alcohol
Appearance	Clear, colorless	Odor Threshold	No information available
Color	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	no data available	None known	
Melting / freezing point	no data available	None known	
Boiling point / boiling range	no data available	None known	
Flash Point	no data available C / 72 F	None known	
Evaporation Rate	no data available	None known	
Flammability (solid, gas)	no data available	None known	
Flammability Limit in Air			
Upper flammability limit	no data available		
Lower flammability limit	no data available		
Vapor pressure	no data available	None known	
Vapor density	no data available	None known	
Specific Gravity	0.791	None known	
Water Solubility	No information available	None known	
Solubility in other solvents	no data available	None known	
Partition coefficient: n-octanol/water	no data available	None known	
Autoignition temperature	no data available	None known	
Decomposition temperature	no data available	None known	
Kinematic viscosity	no data available	None known	
Dynamic viscosity	no data available	None known	
Explosive properties	no data available		
Oxidizing properties	no data available		

Other Information

Softening Point	no data available
Particle Size	no data available
Particle Size Distribution	

10. STABILITY AND REACTIVITY

Reactivity

no data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat. Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).

Eye contact

Specific test data for the substance or mixture is not available.

Skin contact

Specific test data for the substance or mixture is not available. Toxic in contact with skin. May be absorbed through the skin in harmful amounts. (based on components).

Ingestion

Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components).

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h
Aroclor 1260 11096-82-5	= 1315 mg/kg (Rat)	-	-
Aroclor 1254 11097-69-1	= 1010 mg/kg (Rat)	-	-
Aroclor 1248 12672-29-6	= 11 g/kg (Rat)	-	-
Aroclor 1242 53469-21-9	= 4250 mg/kg (Rat)	-	-
Aroclor 1232 11141-16-5	= 4470 mg/kg (Rat)	-	-
Aroclor 1221 11104-28-2	= 3980 mg/kg (Rat)	-	-
Aroclor 1016 12674-11-2	= 2300 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

Coughing and/ or wheezing. Difficulty in breathing.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Aroclor 1260 11096-82-5			Reasonably Anticipated	X
Aroclor 1254 11097-69-1	A3		Reasonably Anticipated	X

ACGIH (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
 NTP (National Toxicology Program)
 Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Reproductive toxicity
STOT - single exposure

No information available.

Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. Detailed substance and/or ingredient information may be provided in other sections of this SDS. Target organs effects listed in this document may result from a single overexposure to this product. Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposure
Chronic Toxicity

No information available.

No known effect based on information supplied. Effects from this product caused by acute exposure may cause permanent damage to target organs and/or may cause chronic conditions. Contains a known or suspected carcinogen.

Target Organ Effects
Aspiration Hazard

Respiratory system. Systemic Toxicity. Eyes. Skin. Gastrointestinal tract (GI).

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

100.00 mg/kg

ATEmix (dermal)

300.00 mg/kg (ATE)

ATEmix (inhalation-dust/mist)

0.50 mg/L

ATEmix (inhalation-vapor)

3.00 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methanol 67-56-1		96h LC50: = 28200 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 19500 - 20700 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 20 mL/L (Oncorhynchus mykiss) 96h LC50: 13500 - 17600 mg/L (Lepomis macrochirus)		
Aroclor 1242 53469-21-9		96h LC50: = 0.015 mg/L (Pimephales promelas)		
Aroclor 1016 12674-11-2	48h EC50: = 0.55 mg/L (freshwater algae)	96h LC50: = 0.135 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.46 mg/L (Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Methanol 67-56-1	-0.77

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number

D001 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154
Aroclor 1260 11096-82-5		Included in waste stream: F039		
Aroclor 1254 11097-69-1		Included in waste stream: F039		
Aroclor 1248 12672-29-6		Included in waste stream: F039		
Aroclor 1242 53469-21-9		Included in waste stream: F039		
Aroclor 1232 11141-16-5		Included in waste stream: F039		
Aroclor 1221 11104-28-2		Included in waste stream: F039		
Aroclor 1016 12674-11-2		Included in waste stream: F039		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Aroclor 1260 11096-82-5	Category V - PCBs			
Aroclor 1254 11097-69-1	Category V - PCBs			
Aroclor 1248 12672-29-6	Category V - PCBs			
Aroclor 1242 53469-21-9	Category V - PCBs			
Aroclor 1232 11141-16-5	Category V - PCBs			
Aroclor 1221 11104-28-2	Category V - PCBs			
Aroclor 1016 12674-11-2	Category V - PCBs			

California Hazardous Waste Codes 212

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Methanol 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

DOT

Not regulated
 UN1230
 Proper Shipping Name METHANOL
 Hazard Class 3
 Subsidiary class 6.1
 Packing Group II
 Reportable Quantity (RQ) (RQ/% in mixture) AROCLOR 1260: RQ KG= 454.00, AROCLOR 1254: RQ KG= 454.00, AROCLOR 1221: RQ KG= 454.00, AROCLOR 1232: RQ KG= 454.00, AROCLOR 1248: RQ KG= 454.00, AROCLOR 1016: RQ KG= 454.00, AROCLOR 1242: RQ KG= 454.00, METHANOL: RQ KG= 2270.00
 Description UN1230, METHANOL, 3 (6.1), II, RQ

Emergency Response Guide Number	131
<u>TDG</u>	
<u>TDG</u>	Not regulated
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3, (6.1)
Subsidiary class	6.1
Packing Group	II
Description	UN1230, METHANOL, 3 (6.1), II
<u>MEX</u>	
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Subsidiary class	6.1
Packing Group	II
Description	UN1230, METHANOL, 3 (6.1), II
<u>ICAO</u>	
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Subsidiary class	6.1
Packing Group	II
Description	UN1230, METHANOL, 3 (6.1), II
<u>IATA</u>	
<u>IATA</u>	Not regulated
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Subsidiary class	6.1
Packing Group	II
Description	UN1230, METHANOL, 3 (6.1), II
<u>IMDG</u>	
<u>IMDG</u>	Not regulated
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Subsidiary class	6.1
Packing Group	II
EmS-No.	F-E, S-D
Description	UN1230, METHANOL, 3 (6.1), II, (22°C C.C.)
<u>RID</u>	
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Packing Group	II
Classification code	FT1
Description	UN1230, METHANOL, ENVIRONMENTALLY HAZARDOUS, 3 (6.1), II
ADR/RID-Labels	6.1
<u>ADR</u>	
UN-No.	UN1230
Proper Shipping Name	METHANOL
Hazard Class	3
Packing Group	II
Classification code	FT1

Tunnel restriction code (D/E)
Description UN1230, METHANOL, ENVIRONMENTALLY HAZARDOUS, 3 (6.1), II
ADR/RID-Labels 3 6.1

ADN

UN-No. UN1230
Proper Shipping Name METHANOL
Hazard Class 3
Packing Group II
Classification code FT1
Special Provisions 279, 802
Description UN1230, METHANOL, ENVIRONMENTALLY HAZARDOUS, 3 (6.1), II
Hazard Labels 3 + 6.1
Limited Quantity 1 L
Ventilation VE01, VE02

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL All components are listed either on the DSL or NDSL.
IECSC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Percent	SARA 313 - Threshold Values %
Methanol - 67-56-1	67-56-1	100	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Aroclor 1260 11096-82-5			X	
Aroclor 1254 11097-69-1			X	
Aroclor 1248 12672-29-6			X	
Aroclor 1242 53469-21-9			X	
Aroclor 1232 11141-16-5			X	
Aroclor 1221 11104-28-2			X	
Aroclor 1016 12674-11-2			X	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ
---------------	--------------------------	--------------------------------	----

		RQs	
Methanol 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Aroclor 1260 11096-82-5	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1254 11097-69-1	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1248 12672-29-6	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1242 53469-21-9	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1232 11141-16-5	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1221 11104-28-2	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ
Aroclor 1016 12674-11-2	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methanol 67-56-1 (100)		Mexico: TWA 200 ppm Mexico: TWA 260 mg/m ³ Mexico: STEL 250 ppm Mexico: STEL 310 mg/m ³
Aroclor 1254 11097-69-1 (0.1)	A3	Mexico: TWA 0.5 mg/m ³ Mexico: STEL 1 mg/m ³
Aroclor 1242 53469-21-9 (0.1)		Mexico: TWA 1 mg/m ³ Mexico: STEL 2 mg/m ³

A3 - Confirmed Animal Carcinogen

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA	Health Hazards 4	Flammability 3	Instability 0	Physical and Chemical Hazards - Personal Protection X
HMIS	Health Hazards 3 *	Flammability 3	Physical Hazard 0	

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 07-Aug-2015
Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet